

PHASE Non-weight



Indiana University Health

IU Health Physicians Orthopedics & Sports Medicine

DENOVO (PARTICULATE CARTILAGE IMPLANTATION) OF PATELLOFEMORAL JOINT (PATELLA / TROCHLEA) WITH TIBIAL TUBERCLE OSTEOTOMY

PHYSICAL THERAPY PROTOCOL

Bryan M. Saltzman, M.D.

Chief, Division of Sports Medicine & Shoulder/Elbow Surgery
Indiana University Health Physicians
Assistant Professor of Orthopaedic Surgery, Indiana University
Sports Medicine, Cartilage Restoration, Shoulder/Elbow Surgery
IU Health Methodist Medical Plaza North (MSK) – 201 Pennsylvania Pkwy #100,
Carmel, IN 46280

IU Health Methodist Hospital – 1801 N Senate Ave, Indianapolis, IN 46202 317-944-9400

www.bryansaltzmanmd.com

Patient Name:			Date of Surgery:		
Evaluate and Tro	eat	Pı	rovide patient with home program		
Frequency: _	x/w	veek x	weeks		
WEIGHT BEARING	BRACE	ROM	EXERCISES		

Gentle

Quad sets, patellar mobs, SLR, calf

Locked in full



I	bearing	extension at all times*	passive 0-45°	pumps at home
0-2 weeks		Off for hygiene and home exercise only	CPM 0-30°	CPM at home
		2-4 weeks : Unlocked 0-45°	2-4 weeks: CPM 0-60°	2-6 weeks : Add side-lying hip and core, advance quad set and stretching
PHASE II	2-6 weeks: Non-WB	4-6 weeks:	4-6 weeks: CPM 0-90°	6-8 weeks : Addition of heel raises, total gym (closed chain), gait
2-8 weeks	6-8 weeks: Advance 25% weekly until full	Unlocked 0-90° Discontinue	Advance ROM as	normalization, eccentric quads, eccentric hamstrings
	woonly until full	brace at 6 weeks	tolerated when non-WB	Advance core, glutes and pelvic stability
PHASE III 8-12 weeks	Full	None	Full	Progress closed chain activities Advance hamstring work, proprioception/balance exercises; hip/core/glutes Begin stationary bike at 10 wk
PHASE IV 12-24 weeks	Full	None	Full	Progress Phase III exercises and functional activities: walking lunges, planks, bridges, swiss ball, half-bosu exercises
PHASE V 6-12 months	Full	None	Full	Advance core/glutes and balance Advance all activity w/o impact such as running, jumping, pivoting, sports until cleared by MD

^{*}Brace may be removed for sleeping after first post-operative visit (day 7-14)

By signing this referral, I certify that I have medically necessary. This patient would _	examined this patient and physical therapy is _would not benefit from social services.
	Date:

